




The sedan for people who've outgrown big sedans.















The VW Squareback.
It might be the perfect car, except for one thing.



*See specifications page

SPECIFICATIONS

Type Engine: 4-cylinder, 4-stroke, O.H.V. type VW engine, rearmounted. Bore: 3.36 in. Stroke: 2.72 in. Displacement: 96.66 cu. in. £1584 cc) 65 hp. at 4,600 rpm. Piston speed 1,923 ft/min. at maximum speed (1,811 ft/min. at 4,000 rpm.) Compression ratio: 7.7:1. Crankshaft: 4-bearing type. Lubrication: pressure fed by gear pump. Oil cooler in air stream and oil pressure relief valve in crankcase. Oil capacity of crankcase: 5.3 pints. Cooling: air-cooled by a crankshaft-mounted fan, thermostatically controlled. Fuel is precisely metered by an electronic fuel injection system.

Electrical System: Battery: 12-volt, 44 amp./hours. Low cut-in generator: 360-watt with voltage regulator.

Final Drive: With manual transmission: fully synchronized gearbox with 4 speeds forward, 1 reverse. Gear ratios: 1st—4th, 3.80:1, 2.06:1, 1.26:1, 0.89:1. Reverse: 3.61:1. Differential: 4.125:1—Power transmitted through a spiral bevel drive pinion and ring gear. Oil capacity: 5.3 pints in transmission case.

With automatic transmission: 3 speeds forward, 1 reverse. Gear ratios: 1st—3rd gears: 2.65:1, 1.59:1, 1.0:1. Reverse: 1.8:1. Differential: 3.67:1. Torque converter—maximum torque multiplication: 2.5:1. Power transmitted through a spiral bevel drive pinion and ring gear, via axle shafts, each with 2 constant velocity joints. Transmission oil capacity: 2.1 pints. Torque converter capacity: 13.7 pints/refill. 6.3-8.5 pints.

Chassis: Frame: semi-unitized body with platform frame. Front axle: rubber-mounted. Independent suspension by 2 trailing arms on each side, extra-long horizontally crossed torsion bars. 4 large rubber stops to prevent excessive wheel movement. Double-acting telescopic hydraulic shock absorbers. Stabilizer. Rear axle: rubber-mounted in subframe. Independent suspension by trailing arms, diagonal and trailing links and rear axles, each with 2 constant velocity joints. Rubber stop and shock absorbers as in front axle. Steering: worm and roller type, self-centering, with maintenance-free tie rods and hydraulic steering damper, telescoping steering column, deep-dish steering wheel. Turning circle: 36.4 ft., 2.8 turns of steering wheel from lock to lock. Tires: 6.00 x 15L, low-profile type. Brakes: dual hydraulic foot brake operating on all 4 wheels, self-adjusting disc brakes in front. Transparent brake fluid reservoir. Handbrake: mechanical, acting independently on rear wheels. Fuel tank: under front trunk compartment, 10.6 gallons capacity.

Body: 2 doors, each 42.1 in. wide, can be locked and unlocked from inside and outside. Rear door: maximum width and height, 42.7 x 25.4 in. Windows: toughened safety glass. Windshield: double thick outerlayer safety glass. Heating/defrosting system: 3 outlets at the windshield, two openings at foot level in front, two in rear. Ventilation system: two adjustable fresh-air vents at windshield, one under dashboard. Two operating knobs on the instrument panel. Bucket seats: 2 in front, adjust back and forth in 7 positions. Backrests with built-in headrests, adjustable at 7 angles, and lock automatically to prevent them from tilting.

Standard Equipment: Includes padded dash, armrests (front and rear), sunvisors, 2 outside mirrors, breakaway day/night inside rearview mirror, wall-to-wall carpeting, safety belts for all seats, dual braking

system with dashboard warning light, front wheel disc brakes, combination headlight dimmer/turn signal fingertip control, electronic fuel injection system, electric rear-window defogger, non-repeat ignition/steering/starter lock, 2-speed electric windshield wiper with pneumatic washer system, bucket seats with built-in headrests up front, 4-way emergency flashers, front seat passenger grab handle, large door pockets, courtesy light, 2 back-up lights, assist straps, front and rear ashtray, electric clock, recessed door handles, vinyl headlining, tool kit, fold-down rear seat, variable intensity instrument lighting, side jacking ports, glove compartment, coat hooks.

Optional Equipment (at extra cost): Fully automatic transmission, sliding steel sunroof, leatherette upholstery, whitewall tires.

Dimensions in inches: Wheelbase: 94.5. Track front: 51.6—rear: 53.1. Length: 170.8. Width: 63.2. Height: 57.9.

Weights in pounds: Payload: 992. Total weight: 3,274.

Performance: With manual transmission: maximum speed 84 mph. Fuel consumption: 27 mpg.* With automatic transmission: maximum and cruising speed: 81 mph. Fuel consumption: 25 mpg.* (*Per U.S. gallon at half payload at a steady ¾ of top speed on level roads.)

Loading Compartment: rear-seat backre Length Width	42.5 inches 46.1 inches
Height	31.9 inches
Loading area	11.8 square fee
Capacity	24.7 cubic feet
plus front luggage compartment	8.1 cubic feet
Total	32.8 cubic feet
Rear-seat backrest down:	
length	65.8 inches
Width	48.0 inches
Height	31.9 inches
Loading area	19.4 square fee
Capacity	42.4 cubic feet
plus front luggage compartment	8.1 cubic feet
Total	50.5 cubic feet

OUR 2-YEAR/24,000-MILE WARRANTY. If the owner maintains and services the vehicle in accordance with the Volkswagen maintenance schedule and if any part of a new Volkswagen becomes defective within 24 months or 24,000 miles after delivery, whichever comes first, any authorized United States or Canadian Volkswagen dealer, to which the customer delivers the car, will repair or replace the defective part free of charge for material and labor with a new or factory reconditioned part, provided the customer presents the dealer with the validated Maintenance Record and provided, further, that the defective part has not become so due to wear and tear, exposure, misuse, accident or by the installation of non-genuine Volkswagen parts, or by the repair of the car by someone other than an authorized Volkswagen dealer; nor does warranty cover normal maintenance service such as fuel system cleaning and wheel, brake or clutch adjustment, replacement of service items such as spark plugs, ignition points, V-belts, wiper blades or brake and clutch linings and the deterioration of upholstery, soft trim or appearance items.

All specifications subject to change without notice.

Body color Cobalt Blue Savannah Beige Clementine Royal Red Elm Green Diamond Blue Pastel White Upholstery (cloth) Grey Grey Grey Blue Blue Brown Brown Upholstery (leatherette) Nut Brown Cream White Black Black Black Black Black