

1963 MERCURY MONTEREY



The window that came in out of the rain—Monterey's new rear window stays clear in rain or snow. Notice how it's recessed, slants inward. On hot days, it opens for Breezeway ventilation. Also, the overhanging roof keeps the rear seat shady, increases rear seat head-room, keeps date off the rear window for better rearriew visibility.





New Breezeway ventilation. Operates from driver's seat—window may be opened for maximum ventilation and comfort. Power control is New headroom and sun protection. Breezeway styling incrosses headroom for rear-seal passengers—and shields from slined sun, with fullest shade during hottest part of day. Inside, sports-car luxury. Deep-contoured bucket seets in S-55 herdtop and convertible are individually adjustable. Between seats

S.55

gets off the beaten track ...in a big way

And how the exciting Monterey S-55 gets off the beaten track! Dual exhausts and Mercury Marauder Super 390 V-8 engine with 4-barrel carburetor are standard. With even hotter ideas you can go all the way to six-barrel Mercury Marauder Super 406 V-8. Transmission choices at no extra cost include: Multi-Drive Merc-O-Matic or optional 4-speed manual, both floor-mounted. Optional tachometer also available. You can count on it: luxury plus performance in 1963 adds up to the year's most exciting big-car member . . . S-55.

total V-8 power throughout the '63 monterey line-up

ENGINES	Marauder 390 V-8	Marauder Super 390 V-8	Marauder 406 V-8*	Marauder Super 406 V-8*	
Displacement (cu. in.)	390	390	406	406	
Carburetor	2-barrel	4-barrel	4-barrel	Triple 2-barrel	
Bore and stroke	4.05 x 3.78	4.05 x 3.78	4.13 x 3.78	4.13 x 3.78	
Compression ratio	8.9 to 1	9.6 to 1	11.5 to1	11.5 to 1	
Exhaust	Single (Dual for convertible)	Dual	Dual	Dual	
Adv. horsepower @ rpm	250 @ 4400	300 @ 4600	385 @ 5800	405 @ 5800	

TRANSMISSIONS, REAR AXLE RATIOS

3-Speed Manual	3.50:1 (3.89:1 opt.)	-			
4-Speed Manual	3.50:1 (3.89:1 opt.)	3.50:1 (3.89:1 opt.)	3.50:1 (options range from 3.00:1 to 4.11:1)		
Multi-Drive Merc-O-Matic	3.00:1	3.00:1			

Domestic special order only.

Transmissions? The 4-speed manual, a sports car favorite with floor-mounted stick shift, is available with all Monterey engines and mandatory with big Marauder 406 engines. It gets maximum performance out of any engine, adapts quickly to versatile driving situations. Multi-Drive Merc-O-Matic is available with both Marauder 390 engines. This flexible dual-range automatic transmission provides two forward drives in addition to low, reverse, park and neutral positions. Fully synchronized 3-speed manual available only with standard Mercury Marauder 390 V-8.





S.55

luxury...the kind that opens a whole new world of elegance

There's no mislabing the Montery 5.55, a sister that delivers the issuin of a Monterry Cardon plus sports car feetures—individually edipidate beautiful plus sports car feetures—individually edipidate beautiful por considerable plus sports car feetures—individually selected note, including comportment, socie with abilify lever and stroage comportment, position discrement pased and existable red and white select-courtery lights insiste of doors, Gen one of those doors. But none you do, be prepaying for a new brand of beauty, a new kind of driving excitationary.

On every S-55, you'll find specious comfort in addition to deep curpating, peddle-type door handles, unique emblems on steering wheel box, and a new leather-soft uphtiblery material of expanded viryl. For convertible vinyl-fabric top in your choice of black, white or blue, with gested cover foot.





monterey custom

beautiful new outlook for big driving pleasure

Be presented in have Monitory's unknew Benezius, arthring Catagory our window viewpoint com publing Catagory our window viewpoint com sid befolir, first Refeller - with claimer science in all befolir, first Refeller - with claimer science in washing, more infection, saint procedured our authority with a state of the contraction of a time controlled by posen requested or counterly lights, and area used lights, front and rear armentas with padde-tope door, handpalled belain file of comes in blake, while or object married belain file ormans in blake, while or object married belain file ormans in blake, while or object married belain file ormans in blake, while or object married belain file ormans in blake, while or object married for the file Monitory quarter, Tout I'll fast come functional stilling and exceptional leaving even functional leaving functional leaving functional leaving functional leaving functions functional leaving functional leaving functions functional leaving functions functional leaving functional leaving functions functional leaving functional leaving

A subtle color harmony runs through the Monterey's vari-bestured materials: You see it in the basedy obtained and frid-yearn fashin covaring the foam-pillosed seats. The crush-grain virys' stong padded window stills. The despitalistic objects of the control of



Mosterey Custom four-door sede





monterey



...so little maintenance

Design changes in the '63 Monterey were made power-operated Breezeway rear window . . . more form padding on premium-uphalstered seats . . .

Below left: From vinyl headlining to luxurious pearlescent. Five all-vinyl color schemes are





monterey colony park lets you get away from it all...or take it all with you

Want a bip-as-all-outdoors feeling? Jost get into a specious Coloury Park salirion vagous, the only or in life failed with the warm wood-grain look of mahagaay-food grannling. Open its power-operated reer window—standard outprement—for the same fresh Breezeway ventilistion as other Monteeys. With any of its five power-drive combinations (bip Manauler Store S

feet behind the frent seet. It seems as if there's no limit to what you can helw with you. Canneling it is story ripidized took is a verifiable hope when the Canneling it is story ripidized took is a verifiable hope whates. Carrying? Hope cargoes of goods nover face it. Cruisling? Optional third seet means nine passengers can relax in Jurury. And that's all For on-the-town enjayment, a Colony Park station wagon keeps the party colling in futurious high style.

Every time you lower the extra-wide tailgate of a Colony Park, you'll find a firm, flat, continuous-surface load space of more than ten feet at your service. Spare the stows out of sight below hincod floor canel. Reof (upone)

Right from the deep-visored instrument panel with lockable gions can to the counterbalanced talgins, from cat-peted floor to reinforced root, Colony Park Memores are specious talebal, They're also color-leyed, or fortable and easy to care for confortable and easy to care for cofortable and easy to care for cotor-dependent easy to





monterey means more in value and quality ...

Year by year, Mercury engineers have pioneered new designs, materials and processes to reduce the time and expense of car maintenance, and to longthen the life of beauty and performance. All 1983 Montereys include features this

Long-life factory-installed anti-freeze coolent • Transmisson, steering great and rear-aris fulsis normally had filled our • I cong-life filters for fired and carbundter • Soft-changing of the state o

This year, the new Monterey raises the major chassis lubrication interval to 36,000 miles and continues to lead



6,000-mile oil and oil filter change interval—and now there is no need for the 1,000-mile break-in oil change.



Body fubrication (locks, hinges, etc.) now need normally be done at 12,000-mile intervals, instead of every 6,000 miles. Stop half as often for this service.



New alternator continues to charge battery and supply accessories and lights with power at low engine speeds, even at Idle. Standard equipment on all Monterey models.



Self-adjusting brakes—when needed, precision self-adjustment takes place in the course of normal driving, during reverse braking. They adjust automatically, equally and



New electric Safety-Sweep windshield wipers clear 5% more area with overlapping strokes of 15" blades. Clearing the center area olves driver a safer, unbroken view.



New double-pawl door locks help make the 1963 Mercury Monterey doors close easily and quietly. Rubber-cushioned, they center themselves securely with a large area of inter-



New tires of polybutatione and cold styrene butadiene resist abrasion. This bland of new materials makes treads last 80-25% longer. They also have superior crack-resistance



Front wheel bearings precision-adjusted, Checking Interval: 24,000 miles. New method of installing front wheel bearings provides precision adjustment. Proper fit lengthens both bearing and tim life.



Str-way power-operated front seat lats you find the perfect driving position. For all bucketned Mercury Montager S-55 models, four-way power is available for driver's side.



New push-button AM-FM 10-transistor radio puts two different worlds of entertainment at your floogities ... also present one values. Also included, all-transistor AM radio and 2-way radio.

options:

Other coalisions for 18th Mercury Membergy includes. Chalco of han new improved also condibions ** Power steeming ** Power blacks ; Speed god crains condicted ** Padded inclument grains! (\$15. on \$4.00 km padde som vision ** Salety and table ** Windsheld washer ** Pageed Salety ** \$15. on \$4.00 km padde som vision ** Salety and table ** Windsheld washer ** Pageed Salety ** Salety and table ** Pageed Salety ** Power Salety ** Power Salety ** on a "and ** Pageed Salety ** Power Salety ** on a "and ** Pageed Salety ** Power Salety ** on a "and ** Pageed Salety ** of the "and ** of the

exteriors:

The VS Antonomy is existed in your critice of 15 adds contains of a solution of an observed member contained in the contained and only an other contained in the contained and contained contained and contained and

interiors:

Meeterry Sedans, Hardtoos	Monterey Custom Sedans, Hardtoos	Manteney Custom Con- vertible	Monterey Calony Park	Merterey S-55	Sout Inserts	Straps and Accests	Bolsters and Facings	Monterey Sedans. Hardiops	Monterey Custom Sedans, Hardiose	Monterey Custom Con- yertible	Monterey Colony Park	Meeterry S-55	Sect Inserts	Straps and Accests	Belsters and Facings
	H9/20034	verticie			Regal Cloth	Fluted Yingi	Crush-Grain Viryl						Vachette-Grain Vivit (Wide Pleat)	Crosh-Brain Viral	Crush-Grain Vivyi
×					Black	Black	Black	006	- V	¥	×		Black	Black	Stack
- 3					Medium Blue	Light Blue-M	Light Blue-M	- Opt.	- N	×	×		Red	Red	Red
×					Med. Turquoise	Lt. Turqueise M.	Lt. Turquoise-M	- 000	X	X	X		Medium Blue-D	Light Blue D	Medium Blue-D
- Y					Medium Deige	Beion-P	Beige P	Cat	×	X	×				Med. Turquoise-E
					Material Cloth	County-Brain	Clath and Virvi	Cot.	×	X	×		Medium Belge-D	Beige-P	Light Beige-D
					(Bea Pleat)	Virgi		Oat.	×	X			Modum Gold-D	Gold-P	Light Gold-D
	×		×		Black	Black	Black		. X	X			Medium Rose-D	Light Rose D	Medium Ross-D
	· v		×		Madium Rive	Light Blue-D	Light Blue							Extruded Virgi	
			- 4		Med. Turquoise	I.t. Turquoise-O	Lt. Turquoise					X	Dlack	Black .	
	^		_ ^			Brise P	Deige					X	Red	Red	
	X				Modium Beige							X	Light Blue-D	Dark Blue-D	
	×				Medium Gold	Bold P	Light Gold					X	Lt. Turqueise-O	Dark Turquoise-	
	×				Medium Rose	Light Reso-D	Light Base					X	Beige-P	Light Beige-M	
M-Metallic	n Diller	rloscent	0.00001	uster Salat								X	Light Gold O	Medium Gold-D	
												X	Light Rose D	Medium Ross-D	

Every 1963 Mercury Monteney part jexcept tires, for which appropriate adjustments are made by their makers is now warranted by debies oppined defects in material and werkmarship.

The Manual equipment of a part of the part



Choose from 11 distinctive models

Montarey . . . two- and four-door sedan,
two- and four-door hardtep.


Montarey Custom . . . two-door powerful.

ble, four-door sedan, two- and four-door hardtop.

Monterey S-55 . . . two-door convertible,

two-door hardtop.

Monterey Colony Park... four-door station wagon.



specifications:

EXTERIOR DIMENSIONS (Inches)	POWER TEAMS	AND RE				MANUAL TRANSMISSIONS	BRAKES
Wheelbiss120.0	ENGINES	Manauder 290 V-8	Manauder Super 300 V.S	Manauder 406 V-81	Marauder Super 406 V-0*	All-synchronized 3-speed, steering column lever	Type 4-wheel hydraulic, self-energizing, self-adjusting
Tread, Front	Displacement (cu. in.)	390	390	435	400	Ratios	Drum diameter
Length, over-all, Sedan	Carburator	2-barrel	4-barrel	4-barrel	Trigle 2-barrel	3rd 1,00:1 Reverse 2,33:1	(passenger cars) 234.0 square inches (station wacon)
Station Wagon209.9	Bore and stroke Compression ratio	6.9 to 1	4.05 x 3.76 9.6 to 1	4.13 x 3.38 11.6 to 1	4.13 x 3.76	4-speed, floor- or console-mounted lever Ratios	REAR AXLE TypeSemi-floating with hypoid genra
Width, over-all, Sedan	Enhaust	Single (Duel for convertible)	Doat	Dust	Dust	2nd 1.78:1 3rd 1.41:1	TIRES
*Height, over-all, Sedan	Adv. horsepower 69 rpm	250 G 6400	300 (6 4600	305 69 5600	405 (5 5800	4th 1.00:1 Reverse 2.42:1	Size
Station Wagon 55.9	TRANSMISSIONS				-	MULTI-DRIVE MERC-O-MATIC TRANSMISSION	Front Swept-back ball-joint front auspension
Convertible	3-Speed Manual	3.50:1 (3.89:1 opt.) 3.60:1	3,50:1	-	-	TypeTorque converter with automatic planetary gear train	Rear Leaf springs plus 3-phase shock ab- sorbers; asymmetrical axie mounting for anti-dive, anti-sougt action.
Curb weight (lbs.), 4-door Sedan4221	4-Speed Manual	(3.69:1 opt)	(3.89:1 opt.)	3.50:1 () range for	options.	RatiosLD 2.40:1	CAPACITIES
Colony Park, 2-seet,, 4453 *With passengers	Muss-Oring Merc-O-Mass *Special order	3.00:1 (3.50:1 opt.)	3.00:1 (3.50:1 opt.)		IN 3.00:1 11:1)	D2 1.47:1; 1.00:1 D1 2.40:1; 1.47:1; 1.00:1 Reverse 2.00:1	Fuel tank

Specifications drawn here in effect if the first fix lock way approved for privileg. License Memory Division of fixed fixed scales, Outstan. Miningar, reserves the right location; in 600 Memory or Change at my loca, specifications, danger, and a privilege and read and a privilege approximation, design and privilege and read and a privilege approximation and a priv