



CITROËN RELAY



CITROËN  
**RELAY**  
LOAD CHAMPION



**COMFORT, SIZE AND VERSATILITY.** WITH THE CITROËN RELAY,  
YOU CAN HAVE IT ALL... AND MORE.

WITH A ROBUST BODY SHAPE, THE CITROËN RELAY ASSERTS ITS CHARACTER AS A PROFESSIONAL READY FOR ANY TASK. AT FIRST GLANCE, YOU CAN TELL IT'S ALWAYS READY FOR ACTION, DETERMINED TO CARRY THE LOAD, BENT ON MASTERING ROAD OR TERRAIN. EVERYTHING ABOUT THE CITROËN RELAY EXPRESSES ITS DETERMINATION TO ACCOMPANY PROFESSIONALS TO THE LIMITS THEIR TRADE DEMANDS.

	PANEL VAN	ENTERPRISE	CHASSIS	CHASSIS CREW CAB	BACK TO BACK	COMBI	COMBI CREW
<b>ENGINE AVAILABILITY</b>							
30 L1H1 HDi 100	•	•				•	•
30 L2H1 HDi 100	•						
33 L1H1 HDi 100	•						
33 L1H1 HDi 120	•					•	•
33 L2 HDi 120			•				
33 L2H2 HDi 100	•						
33 L2H2 HDi 120	•					•	•
33 L3H2 HDi 120	•						
35 HDi 120					•		
35 L2 HDi 100			•				
35 L2 HDi 120			•				
35 L2H1 HDi 120	•						
35 L2H2 HDi 120	•						
35 L2S HDi 100			•				
35 L3 HDi 120			•	•			
35 L3 HDi 160			•				
35 L3H2 HDi 120	•	•					

	PANEL VAN	ENTERPRISE	CHASSIS	CHASSIS CREW CAB	BACK TO BACK	COMBI	COMBI CREW
<b>ENGINE AVAILABILITY</b>							
35 L3H2 HDi 160	•						
35 L3H3 HDi 120	•						
35 Heavy HDi 160					•		
35 Heavy L3 HDi 160			•	•			
35 Heavy L3H2 HDi 120	•						
35 Heavy L3H2 HDi 160	•						
35 Heavy L4 HDi 160			•				
35 Heavy L4H2 HDi 120	•						
35 Heavy L4H2 HDi 160	•						
35 Heavy L4H3 HDi 120	•						
35 Heavy L4H3 HDi 160	•						
40 Heavy L2H2 HDi 120	•						
40 Heavy L3 HDi 160			•				
40 Heavy L4 HDi 120			•				
40 Heavy L4 HDi 160			•				
40 Heavy L4H3 HDi 160	•						



CITROËN  
**RELAY**  
READY FOR  
ANYTHING

## AN EXTENSIVE CHOICE. THE CITROËN RELAY OFFERS AN IMPRESSIVE RANGE OF EQUIPMENT IN OVER 30 CONFIGURATIONS.

THE CITROËN RELAY HAS A GROSS VEHICLE WEIGHT OF UP TO FOUR TONNES, WITH PAYLOADS OF ALMOST TWO TONNES. THE CITROËN RELAY IS AVAILABLE IN FIVE LENGTHS, FOUR WHEELBASES AND THREE HEIGHTS, ENCOMPASSING USABLE LOAD SPACES FROM 8M<sup>3</sup> TO 17M<sup>3</sup>.

It is available in Panel Van, Enterprise, Chassis Cab, Crew Cab and Combi passenger vehicle variants. With such a diverse and comprehensive range, the Citroën Relay can be tailored to meet the needs of even the most specialist customer. Powering the Citroën Relay are three diesel engines: a 2.2HDI 100hp optimised for low emissions and low fuel consumption, a 2.2HDI 120hp with exceptional pulling power and a 3.0HDI 160hp which gives maximum power and torque. All three have manual gearboxes, the more powerful ones working with six speeds, to deliver the impressive performance that is associated with Citroën diesel technology.



### › REAR PARKING CAMERA

Available as an optional extra on Panel Van and Combi models, the camera situated at the rear of the vehicle makes a great addition to the optional electrically folding twin lens door mirrors across the range. It transmits onto a screen in the cabin an image of the space behind the van, to make reversing easier and safer.



#### › INTERIOR COMFORT

The Citroën Relay has been designed to be a true extension of the office: three generous seats (driver's seat with height and lumbar adjustment and dual passenger bench seat), a quiet, well-insulated cabin, and a dashboard with multiple storage areas and clever features. A document clipboard integrated into the top of the dashboard keeps paperwork tidy, while a panel integrated into the back of the front dual passenger seat unfolds to become a work surface. Once you've finished working, your laptop can be stowed safely in the central one of two lockable glove compartments, specially designed to accommodate a laptop computer.



#### › PNEUMATIC SUSPENSION FOR EASY LOADING

Optional rear pneumatic suspension gives even greater ride comfort. The load sill – already very low even with standard suspension – can be lowered by another 7cm, giving the Citroën Relay one of the lowest load heights in its class.



# EVERYTHING. AND MORE. INCREDIBLY VERSATILE, SPACIOUS AND COMFORTABLE, THE CITROËN RELAY IS READY FOR ANY PROFESSIONAL CHALLENGE.

AVAILABLE WITH A HUGE VARIETY OF EQUIPMENT, INCLUDING A FULL STEEL BULKHEAD AND REVERSE PARKING SENSORS BOTH STANDARD ON ENTERPRISE MODELS AND OPTIONAL ON PANEL VANS. THE CITROËN RELAY HARNESSES CITROËN INNOVATIONS, INTELLIGENT DESIGN, DURABLE ENGINEERING AND THOUGHTFUL DETAILS TO CREATE THE COMPLETE WORKING PARTNER.



## > IN CONTROL

The Bluetooth® system allows you to make safe and efficient hands-free calls. Whilst air conditioning keeps you cool in all situations. Both are standard on Enterprise and optional on all other models.



## > SECURITY

Trafficmaster Smartnav on Panel Vans and Enterprise models guides you to your destination via a touchscreen displaying the route ahead. GPS Stolen Vehicle Tracking means that once you have arrived you can park and leave your vehicle in complete peace of mind. Includes 3 years' unlimited Smartnav Touchscreen routes, 3 years' Stolen Vehicle Tracking, 3 years' automatically downloaded live traffic information, 15 Personal Assistant Smartnav routes and 3 months' Safe Speed safety camera alerts.

CITROËN  
**RELAY**  
 COLOURS, TRIMS  
 & WHEELS

# TAKE SOME TIME TO CHECK OUT HOW EASY IT IS TO PUT TOGETHER YOUR PERFECT CITROËN RELAY.

THE CITROËN RELAY RANGE PROVIDES A HUGE ARRAY OF USER OPTIONS WITH FIVE LENGTHS, FOUR WHEELBASES, THREE ROOF HEIGHTS COMBINED WITH THREE IMPRESSIVE ENGINE OPTIONS AND AN EXTENSIVE RANGE OF BODY STYLES.



Polar White



Pacific Blue



Tiziano Red



Carioca Yellow



Panel Van, Enterprise, Chassis Cab, Chassis Crew Cab and Back To Back

'Tedeo' cloth



Combi/Combi Crew

'Transcodage' cloth



Imperial Blue



Arctic Steel (metallic)



Golden White (metallic)



Lake Blue (metallic)

15" STEEL WHEELS  
 Set of four  
 30, 33 & 35 models  
 Tyres: 215/70 R15 C<sup>1</sup>

16" STEEL WHEELS  
 Set of four  
 35 Heavy &  
 40 Heavy models  
 Tyres: 225/75 R16 C



Iron Grey (pearlescent)



Deep Red (pearlescent)



Please note: Colours and pictures shown are for illustration purposes only. Please consult your Dealer for definitive colour and trim/upholstery details.

<sup>1</sup> 225/70 R15 C if pneumatic rear suspension specified.

# CITROËN RELAY OPTIONS

	PANEL VAN	ENTERPRISE	CHASSIS/CREW CAB	BACK TO BACK CAB	COMBI/COMBI CREW
<b>OPTION SUMMARY</b>					
Individual passenger seat	◆	◆	◆	◆	◆
Bluetooth® system	○ <sup>1</sup>	● <sup>1</sup>	○ <sup>1</sup>	○ <sup>1</sup>	○ <sup>1</sup>
Rear parking sensors	○	●	○	○	○
Air conditioning and air conditioned glove box	○	●	○	○	○
Air conditioning, air conditioned glove box and bulkhead	○ <sup>2</sup>	●	○	○	○
Full steel bulkhead	○	●	○	○	○
Full steel bulkhead with inset sliding window	○				
Automatic air conditioning, air conditioned glove box and heat reflecting windscreen	○				○
Converter socket	○	○	●	●	
Electronic Stability Programme (ESP) with traction control and Hill Start Assist function	○	○	○	○	○
Front passengers' airbag	○	○	○	○	○
Cruise control	○ <sup>3</sup>	○	○ <sup>3</sup>	○	○
Cruise control with speed limiter fixed at 56mph	○	○	○	○	○
Cruise control with speed limiter fixed at 62mph	○ <sup>3</sup>	○	○ <sup>3</sup>	○	○
Speed limiter fixed at 56mph	○	○	● <sup>4</sup>	○	○
Speed limiter fixed at 62mph	○ <sup>3</sup>	○	○ <sup>3</sup>	○	○

- Standard equipment
- ◆ No cost option
- Optional factory fitted equipment

<sup>1</sup> Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.

<sup>2</sup> Includes either full steel bulkhead or full steel bulkhead with inset window if optional glazed rear doors are ordered.

<sup>3</sup> Excludes 40 Heavy models.

<sup>4</sup> Standard on 40 Heavy, optional on all other models.

<sup>5</sup> Located in overhead storage shelf.

<sup>6</sup> The operator of the vehicle must have the tachograph calibrated and sealed by an Approved Tachograph Centre and then checked every two years.

<sup>7</sup> Suitable for conversions up to 2.35m total width.

<sup>8</sup> Available on 160hp models only.

<sup>9</sup> 160hp models have larger capacity battery as standard.

<sup>10</sup> Rear adjustable pneumatic suspension and rear reinforced twin-leaf suspension are not compatible. Rear adjustable pneumatic suspension replaces rear reinforced twin-leaf suspension when ordered on 40 Heavy models.

<sup>11</sup> Excludes Combi Crew models.

	PANEL VAN	ENTERPRISE	CHASSIS/CREW CAB	BACK TO BACK CAB	COMBI/COMBI CREW
<b>OPTION SUMMARY</b>					
Anti-theft alarm with anti-lift alarm	○	○	○	○	○
Tachograph	● <sup>4/5/6</sup>	○ <sup>5/6</sup>	● <sup>4/5/6</sup>	○ <sup>5/6</sup>	○ <sup>5/6</sup>
Electrically folding twin lens door mirrors	○	○	○	○	○
Extended twin lens door mirrors	○	○	○ <sup>7</sup>	○ <sup>7</sup>	○
Front fog lights	○	○	○	○	○
Reinforced alternator	○ <sup>8</sup>	○	○ <sup>8</sup>	○ <sup>8</sup>	○
Reinforced battery	○ <sup>9</sup>	○	○ <sup>9</sup>	○ <sup>9</sup>	○
Rear adjustable pneumatic suspension	○ <sup>10</sup>	○ <sup>10</sup>	○ <sup>10</sup>	○	○
Rear reinforced twin-leaf suspension	○ <sup>4/10</sup>	○ <sup>10</sup>	○ <sup>4/10</sup>		
Parking camera at rear of vehicle and shelf mounted screen	○ <sup>5</sup>				○ <sup>5</sup>
Seating for three passengers in row 3					○ <sup>11</sup>
Glazed rear doors with heated windows	○				●
Unglazed offside sliding side loading door	○	○			
Glazed offside sliding side loading door					○
Rear doors opening to 270°	○	○			
125 litre fuel tank	○	○	○	○	○
Metallic/Pearlescent paint	○	○	○	○	○
Special order paint	○	○	○	○	○





# CITROËN RELAY

## WEIGHTS & PAYLOADS

	GVW	KERB WEIGHT	PAYLOAD*	MAX PERMITTED WEIGHT ON FRONT AXLE**	MAX PERMITTED WEIGHT ON REAR AXLE**	MAX TRAILER***	GTW
<b>PANEL VAN</b>							
30 L1H1 HDi 100	3000	1845	1155	1630	1650	2000	5000
33 L1H1 HDi 100	3300	1845	1455	1750	1900	2000	5300
33 L1H1 HDi 120	3300	1860	1440	1750	1900	2500	5800
30 L2H1 HDi 100	3000	1885	1115	1630	1650	2000	5000
35 L2H1 HDi 120	3500	1900	1600	1850	2000	2000	5500
33 L2H2 HDi 100	3300	1910	1390	1750	1900	2000	5300
33 L2H2 HDi 120	3300	1925	1375	1750	1900	2500	5800
35 L2H2 HDi 120	3500	1925	1575	1850	2000	2500	6000
40 Heavy L2H2 HDi 120	4005	2010	1995	2100	2400	2500	6505
33 L3H2 HDi 120	3300	1975	1325	1750	1900	2500	5800
35 L3H2 HDi 120	3500	1975	1525	1850	2000	2500	6000
35 L3H2 HDi 160	3500	2025	1475	1850	2000	2500	6000
35 Heavy L3H2 HDi 120	3500	2015	1485	2100	2400	3000	6500
35 Heavy L3H2 HDi 160	3500	2065	1435	2100	2400	3000	6500
35 L3H3 HDi 120	3500	2000	1500	1850	2000	2500	6000
35 Heavy L4H2 HDi 120	3500	2060	1440	2100	2400	3000	6500
35 Heavy L4H2 HDi 160	3500	2110	1390	2100	2400	3000	6500
35 Heavy L4H3 HDi 120	3500	2040	1460	2100	2400	3000	6500
35 Heavy L4H3 HDi 160	3500	2140	1360	2100	2400	3000	6500
40 Heavy L4H3 HDi 160	4005	2185	1820	2100	2400	2500	6505
<b>ENTERPRISE</b>							
30 L1H1 HDi 100	3000	1845	1155	1630	1650	2000	5000
35 L3H2 HDi 120	3500	1975	1525	1850	2000	2500	6000

	GVW	KERB WEIGHT	PAYLOAD*	MAX PERMITTED WEIGHT ON FRONT AXLE**	MAX PERMITTED WEIGHT ON REAR AXLE**	MAX TRAILER***	GTW
<b>CHASSIS CAB</b>							
33 L2 HDi 120	3300	1635	1665	1750	1900	2500	5800
35 L2 HDi 100	3500	1620	1880	1850	2000	2000	5500
35 L2 HDi 120	3500	1635	1865	1850	2000	2500	6000
35 L2S HDi 100	3500	1630	1870	1850	2000	2000	5500
35 L3 HDi 120	3500	1655	1845	1850	2000	2500	6000
35 L3 HDi 160	3500	1705	1795	1850	2000	2500	6000
35 Heavy L3 HDi 160	3500	1670	1830	2100	2400	3000	6500
40 Heavy L3 HDi 160	4005	1670	2335	2100	2400	2500	6505
35 Heavy L4 HDi 160	3500	1680	1820	2100	2400	3000	6500
40 Heavy L4 HDi 120	4005	1710	2295	2100	2400	2500	6505
40 Heavy L4 HDi 160	4005	1745	2260	2100	2400	2500	6505
<b>CHASSIS CREW CAB</b>							
35 L3 HDi 120	3500	1840	1660	1850	2000	2500	6000
35 Heavy L3 HDi 160	3500	1930	1570	2100	2400	3000	6500
<b>BACK TO BACK CAB</b>							
35 HDi 120	3500						
35 Heavy HDi 160	3500						
<b>COMBI</b>							
30 L1H1 HDi 100	3000	1935	1065	1630	1650	2500	5500
33 L1H1 HDi 120	3300	1950	1350	1750	1900	2500	5800
33 L2H2 HDi 120	3300	2060	1240	1750	1900	2500	5800
<b>COMBI CREW</b>							
30 L1H1 HDi 100	3000	1935	1065	1630	1650	2500	5500
33 L1H1 HDi 120	3300	1950	1350	1750	1900	2500	5800
33 L2H2 HDi 120	3300	2060	1240	1750	1900	2500	5800



Up to 1995kg  
payload on Panel Vans

\* Includes driver. Final payload of Chassis Cab and Chassis Crew Cab depends upon the specific conversion built on the vehicle.

\*\* Maximum weight which can be placed on axle.

\*\*\* Trailer weight must be reduced if vehicle is running at GVW to ensure that GTW is not exceeded.

# CITROËN RELAY

## EQUIPMENT SPECIFICATION

	PANEL VAN	ENTERPRISE	CHASSIS/CREW CAB	BACK TO BACK CAB	COMBI/COMBI CREW
<b>SAFETY &amp; SECURITY</b>					
ABS with Emergency Braking Assistance (EBA)	●	●	●	●	●
Driver's airbag	●	●	●	●	●
Transponder immobiliser	●	●	●	●	●
Three-point inertia reel seat belts on all seats	●	●	● <sup>1</sup>	●	●
Front seat belt pretensioners with force-limiters	●	●	●	●	●
High-frequency remote control central locking with deadlocks	●	●	●	●	●
Central locking button on driver's door	●	●	●	●	●
Warning light for driver's 'unfastened' seat belt	●	●	●	●	●
Automatic door locking (when vehicle is in motion)	●	●	●	●	●
Rear fog lights with twin reversing lights	●	●	●	●	●
Speed limiter fixed at 56mph	● <sup>2</sup>	○	● <sup>2</sup>	○	○
Interior load space protection	●	●	●	●	●
Ladder frame bulkhead	●	●	●	●	●
Full steel bulkhead	○	●	●	●	●
Moulded rear door panel protection	●	●	●	●	●
Fully enclosed cab with fixed inset rear window	●	●	●	●	●
<b>LIGHTING &amp; VISIBILITY</b>					
Electrically adjustable and heated twin lens door mirrors	●	●	●	●	●
Height-adjustable headlamps	●	●	●	●	●
'Guide-me-home' headlamp function	●	●	●	●	●
Automatic illumination of cabin lighting set via ceiling mounted button	●	●	●	●	●
Courtesy reading light	●	●	●	●	●
Rear view mirror	●	●	●	●	●
Load compartment light	●	●	●	●	●
Extended twin lens door mirrors	●	●	● <sup>3</sup>	● <sup>3</sup>	●
<b>STYLE</b>					
Tinted windows	●	●	●	●	●
Side rubbing strips	●	●	●	●	●
Unglazed rear doors	●	●	●	●	●
Unglazed nearside single sliding side loading door	●	●	●	●	●
Glazed rear doors with heated windows	○	○	○	○	●
Glazed nearside single sliding side loading door	○	○	○	○	●

- Standard equipment
- Optional factory fitted equipment

<sup>1</sup> Excludes central row 2 seats on Chassis Crew Cab models.

<sup>2</sup> Standard on 40 Heavy, optional on all other models.

<sup>3</sup> Suitable for conversions up to 2.20m total width.

<sup>4</sup> Rear adjustable pneumatic suspension and rear reinforced twin-leaf suspension are not compatible.

<sup>5</sup> Excludes Chassis Cab models.

<sup>6</sup> When passenger airbag is specified, it is not possible to raise the clipboard to its inclined position.

<sup>7</sup> When optional lateral and curtain airbags are specified the overhead storage shelf is not present.

<sup>8</sup> 12 anchorage points.

<sup>9</sup> L1 and L2 models have 3 anchorage points each side and L3 and L4 models have 4 anchorage points each side.

<sup>10</sup> Located in overhead storage shelf.

<sup>11</sup> The operator of the vehicle must have the tachograph calibrated and sealed by an Approved Tachograph Centre and then checked every two years.

<sup>12</sup> Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.

	PANEL VAN	ENTERPRISE	CHASSIS/CREW CAB	BACK TO BACK CAB	COMBI/COMBI CREW
<b>COMFORT &amp; CONVENIENCE</b>					
Front electric windows	●	●	●	●	●
Height-adjustable steering wheel	●	●	●	●	●
Roof mounted passengers' grab handle	●	●	●	●	●
Driver's and passengers' sunvisor	●	●	●	●	●
Cigar lighter	●	●	●	●	●
12 volt socket on centre console	●	●	●	●	●
12 volt socket in load compartment	●	●	●	●	●
Full width rear step	●	●	●	●	●
Rear parking sensors	○	●	○	○	○
Air conditioning and air conditioned glove box	○	●	○	○	○
Sliding side windows in row 2	● <sup>2/4</sup>	○ <sup>4</sup>	● <sup>2/4</sup>	●	●
Rear reinforced twin-leaf suspension	● <sup>2/4</sup>	○ <sup>4</sup>	● <sup>2/4</sup>	●	●
Converter socket	○	○	●	●	●
<b>DRIVER INFORMATION</b>					
Multi-function on-board trip computer	●	●	●	●	●
Lockable fuel cap	●	●	●	●	●
Fuel gauge and low fuel warning light	●	●	●	●	●
Handbrake warning light	●	●	●	●	●
Hazard warning light	●	●	●	●	●
Indicator warning light	●	●	●	●	●
Low battery charge warning light	●	●	●	●	●
Brake pads and brake fluid warning light	●	●	●	●	●
Oil pressure indicator	●	●	●	●	●
Rev counter	●	●	●	●	●
Side headlamps and main beam warning light	●	●	●	●	●
Trip and total mileage recorders	●	●	●	●	●
Coolant indicator	●	●	●	●	●
Programmable overspeed warning	●	●	●	●	●
Pre-heat warning light	●	●	●	●	●
Rear fog lamp warning light	●	●	●	●	●

	PANEL VAN	ENTERPRISE	CHASSIS/CREW CAB	BACK TO BACK CAB	COMBI/COMBI CREW
<b>SEATING</b>					
Height-adjustable front head restraints	•	•	•	•	•
Height-adjustable driver's seat with lumbar adjustment and armrest	•	•	•	•	•
Dual front passenger bench seat	•	•	•	•	•
Three-passenger rear bench seat with integrated head restraints in row 2					•
Four-passenger rear bench seat with 3-point seat belts on outer seats and 2-point seat belts on two central places			• <sup>5</sup>		
<b>STORAGE</b>					
Cup holder in centre console	•	•	•	•	•
A5 size dashboard mounted clipboard-style writing surface	• <sup>6</sup>	• <sup>6</sup>	• <sup>6</sup>	• <sup>6</sup>	• <sup>6</sup>
Lockable glove box	•	•	•	•	•
Lockable central glove box	•	•	•	•	•
Overhead storage shelf	•	•	•	•	• <sup>7</sup>
Storage pockets in top of dashboard	•	•	•	•	•
9 litre door pockets on driver's and passenger's side	•	•	•	•	•
Storage drawer under passenger's seat	•	•	•	•	•
Floor mounted anchorage points	• <sup>8</sup>	• <sup>8</sup>			• <sup>8</sup>
Anchorage points on each side of the roof	• <sup>9</sup>	• <sup>9</sup>			• <sup>9</sup>
<b>AUDIO/NAVIGATION</b>					
RDS stereo radio/CD player	•	•	•	•	•
Smartnav – 3 years' unlimited Smartnav Touchscreen routes, 3 years' Stolen Vehicle Tracking, 3 years' automatically downloaded live traffic information, 15 Personal Assistant Smartnav routes and 3 months' Safe Speed safety camera alerts	•	•			
Tachograph	• <sup>2/10/11</sup>	○ <sup>10/11</sup>	• <sup>2/10/11</sup>	○ <sup>10/11</sup>	○ <sup>10/11</sup>
Bluetooth® system	○ <sup>12</sup>	• <sup>12</sup>	○ <sup>12</sup>	○ <sup>12</sup>	○ <sup>12</sup>



# CITROËN RELAY DIMENSIONS

	PANEL VANS								ENTERPRISE		CHASSIS CAB/CREW CAB				BACK TO BACK CAB	COMBI/ COMBI CREW	
	L1	L2		L3		L4		L1	L3	L2	L2S	L3	L4	L1		L2	
	H1	H1	H2	H2	H3	H2	H3	H1	H2					H1		H2	
<b>EXTERIOR DIMENSIONS (mm)</b>																	
Length	4963	5413	5413	5998	5998	6363	6363	4963	5998	5258	5608	5843	6208		4963	5413	
Length of frame to back of Chassis Cab										2920	3270	3505	3870				
Length of frame to back of Crew Cab												2634					
Height	2254	2254	2524	2524	2764	2524	2764	2254	2524						2254	2524	
Height of cab										2254	2254	2254	2254	2254			
Width – excluding door mirrors	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	
Width – with door mirrors unfolded	2508	2508	2508	2508	2508	2508	2508	2508	2508					2508	2508		
Width – with extra wide door mirrors unfolded (max. vehicle width 2200mm)										2690	2690	2690	2690	2690			
Width – with extra wide door mirrors unfolded (max. vehicle width 2350mm)										2770	2770	2770	2770	2770			
Wheelbase	3000	3450	3450	4035	4035	4035	4035	3000	4035	3450	3800	4035	4035		3000	3450	
Front overhang	948	948	948	948	948	948	948	948	948	948	948	948	948	948	948	948	
Rear overhang	1015	1015	1015	1015	1015	1380	1380	1015	1015	860	860	860	1225	1015	1015		
Front track	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	
Rear track	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790		1790	1790	
<b>LOAD COMPARTMENT DIMENSIONS</b>																	
Load sill height – according to vehicle length and tyre size (mm)	530-560	530-560	530-560	530-560	530-560	530-560	530-560	530-560	530-560						530-560	530-560	
Load length (mm)	2670	3120	3120	3705	3705	4070	4070	2670	3705						2670	3120	
Maximum load compartment height (mm)	1662	1662	1932	1932	2172	1932	2172	1662	1932						1662	1932	
Maximum load width between sides (mm)	1870	1870	1870	1870	1870	1870	1870	1870	1870						1870	1870	
Maximum load width between wheel arches (mm)	1422	1422	1422	1422	1422	1422	1422	1422	1422						1422	1422	
Sliding side door height (mm)	1485	1485	1755	1755	1755	1755	1755	1485	1755						1485	1755	
Sliding side door width (mm)	1075	1250	1250	1250	1250	1250	1250	1075	1250						1075	1250	
Rear door height (mm)	1520	1520	1790	1790	2030	1790	2030	1520	1790						1520	1790	
Rear door width (mm)	1562	1562	1562	1562	1562	1562	1562	1562	1562						1562	1562	
Degree to which doors open	180	180	180	180	180	180	180	180	180						180	180	
Maximum roof load (kg)	150	150	150	200	200	200	200	150	200						100	100	
Load compartment volume (m <sup>3</sup> )	8	10	11.5	13	15	15	17	8	13						8*	11.5*	
<b>CONVERTIBLE AREA DIMENSIONS (mm)</b>																	
Maximum overhang once converted (excl. Motorhomes)										2070	2280	2400	2400				
Maximum overhang once converted (Motorhomes only)										2243	2400	2400	2400				
Maximum height once converted										3500	3500	3500	3500	3500			
Maximum width of conversion (excl. Motorhomes)										2200 (2350)**	2200 (2350)**	2200 (2350)**	2200 (2350)**	2200 (2350)**			
Maximum width of conversion (Motorhomes only)										2430	2430	2430	2430	2430			
Maximum interior width between wheel arches	1422	1422	1422	1422	1422	1422	1422	1422	1422								



Up to 17m<sup>3</sup>  
of loadspace

\* With rear seats removed.

\*\* 2200 with extra wide door mirrors (fitted as standard); 2350 with optional, wider door mirrors.

# CITROËN RELAY TECHNICAL SPECIFICATION

	DIESEL MODELS		
	2.2HDi 100hp	2.2HDi 120hp	3.0HDi 160hp
<b>ENGINE</b>			
Capacity (cc)	2198	2198	2998
Cylinders	4 in line	4 in line	4 in line
Bore and stroke (mm)	86.0 x 94.6	86.0 x 94.6	95.8 x 104.0
Max power CEE (kW/rpm)	74/2900	88/3500	115.5/3600
Max torque CEE (Nm/rpm)	250/1500	320/2000	400/1700
Fuel system	High pressure direct diesel injection	High pressure direct diesel injection	High pressure direct diesel injection
Euro status	Euro 4	Euro 4	Euro 4
<b>TRANSMISSION</b>			
Five speed manual	•		
Six speed manual		•	•
<b>ECONOMY Litres/100km (mpg)</b>			
Combined Min/Max	7.9/8.1 (34.9/35.8)	8.8/9.3 (30.4/32.1)	8.8/9.3 (30.4/32.1)
<b>CO<sub>2</sub> EMISSIONS (g/km) Min/Max</b>	208/214	232/246	233/246
<b>BRAKES</b>	ABS with Emergency Braking Assistance (EBA)		
Front brakes/Rear brakes	Ventilated discs/discs		
<b>STEERING</b>	Power assisted steering	Variable power assisted steering	Variable power assisted steering
Number of turns lock to lock	3.87	3.87	3.87
Turning circle between kerbs (m) L1	10.76	10.76	10.76
Turning circle between kerbs (m) L2	12.3	12.3	12.3
Turning circle between kerbs (m) L2S	13.8		
Turning circle between kerbs (m) L3/L4	14.14	14.14	14.14
<b>SUSPENSION</b>	Independent MacPherson type struts with triangulated lower suspension arms, coil springs with integral telescopic hydraulic dampers		
Front suspension	Longitudinal leaf springs with inclined telescopic hydraulic dampers		
Rear suspension	Pneumatic springs at a constant height; adjustable when vehicle is stationary		
Pneumatic rear suspension			
<b>FUEL TANK CAPACITY Litres (gallons)</b>	90 (19.8)		



**6 speed manual  
transmission**  
available on 2.2HDi  
and 3.0HDi models

# GREEN EFFICIENCY. CITROËN HAS BEEN PIONEERING CLEANER, MORE FUEL-EFFICIENT MOTORING, SUCH AS THE COMMON RAIL HDi ENGINES NOW FITTED IN ALL NEW CITROËN DIESELS, LONG BEFORE ALL THE HYPE...

CITROËN HAS ALWAYS BEEN AT THE FOREFRONT OF GREENER TECHNOLOGY AND THE CITROËN RELAY MAINTAINS THAT TRADITION. IT'S WHY WE HAVE WON THE LCV MANUFACTURER OF THE YEAR 2009 AWARD. TODAY, WE HAVE ONE OF THE UK'S WIDEST RANGES OF LOW EMISSION VEHICLES. WE ALSO PRODUCE ONE OF THE UK'S MOST ECONOMICAL LIGHT COMMERCIAL VEHICLES, THE CITROËN NEMO VAN.



Citroën is a leader in the manufacture of low CO<sub>2</sub> emissions vehicles

## › INTRODUCING A MORE ECOLOGICAL CAR

The Citroën C-Cactus concept, a car designed on ecological principles. It includes a significant proportion of recycled or recyclable materials and, like the plant it is named after, it is low on liquid consumption. At the same time, Citroën C-Cactus is designed to be no more expensive than a mid-range family car. This can be attributed to the use of new materials and to a rational design process using a smaller number of parts. Citroën C-Cactus is an essential vehicle reflecting a new vision of the car, many of its thoughts and themes will appear in modern Citroën vehicles to come.



**GO LO CO<sub>2</sub> WITH B30**  
All Citroën HDi diesel vans run on 30% bio-diesel

## › AIRDREAM – A BENCHMARK

When it comes to be environment we wanted to show our genuine commitment as well as our profound expertise, so we have devised a benchmarking scheme with the signature 'Airdream'. To qualify for the Airdream signature, vehicles must have an e-HDi engine.

# DRIVE YOUR WAY.

GET BEHIND THE WHEEL OF YOUR NEW CITROËN RELAY, WITH CITROËN'S RANGE OF FINANCE AND INSURANCE PRODUCTS.

## FOR BUSINESS USERS

### CITROËN CONTRACT MOTORING HIRE PURCHASE

A tried and tested finance package that allows you to own your vehicle.

### CITROËN CONTRACT MOTORING BUSINESS LEASE

An alternative to vehicle ownership that allows you to control your business cash flow and gain tax efficiencies.

### CITROËN CONTRACT MOTORING LEASE PURCHASE

Own a vehicle with a finance solution that offers ultimate flexibility to complement your business cash flow.

### CITROËN CONTRACT MOTORING CONTRACT HIRE

A non-ownership finance solution that keeps costs fixed and risks low.

➤ FOR MORE INFORMATION ON CITROËN FLEET AND BUSINESS SALES, PLEASE CALL CITROËN FLEET CONNECT ON 08457 940 940 OR LOOK US UP AT [WWW.CITROEN.CO.UK/FLEET](http://WWW.CITROEN.CO.UK/FLEET)

## ➤ ESSENTIAL CARE.

CITROËNS ARE RENOWNED FOR THEIR RELIABILITY – AND THE CITROËN RELAY IS NO EXCEPTION. WITH THE ADDED REASSURANCE OF A WARRANTY, ROUTINE SERVICING AND MAINTENANCE, AS WELL AS 24-HOUR ROADSIDE ASSISTANCE, YOU ARE PROTECTED.

### CITROËN WARRANTY

Every new Citroën van has the benefit of a 3 year\* warranty package, plus a 5 year anti-perforation\*\* warranty and a 2 year paint warranty.

\* 2 years' unlimited mileage manufacturer's warranty. No-fee customer option of 1 year's Dealer provided warranty, only on vans sourced from Citroën UK Limited. Note: Dealer provided warranty is limited to 100,000 miles for vans.

\*\* Against all internal to external perforation to bodywork or underbody.

### CITROËN ASSISTANCE

For all models except Citroën C6: In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. Citroën C6: Citroën Assistance covers all incidents and for a period of 3 years. Full details are available on request from Citroën UK via [cuk\\_contactcentre@citroen.com](mailto:cuk_contactcentre@citroen.com)

### CITROËN MAINTENANCE

From roadside assistance to replacing wear and tear parts or regular servicing, with Citroën Maintenance you have total peace of mind. For a one-off fee or low monthly payment, our experienced engineers will take care of your Citroën, whatever happens. To find out more, contact your Citroën Dealer or Citroën Authorised Repairer.

### CITROËN SERVICING

Available up to 1 year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing Package enables you to pay in advance for your vehicle's servicing needs for 3 years/35,000 miles. For further information, please ask a member of staff or pick up a leaflet today.

### CITROËN EXTENDED WARRANTY

With a Citroën Extended Warranty, we offer you the opportunity to continue your care-free motoring for a further 1 or 2 years beyond the 3 year warranty and up to 120,000 miles. To find out more, contact your Citroën Dealer or call the Customer Contact Centre on 0844 463 3500.

Extended Warranty insurance is underwritten by Pinnacle Insurance Plc which is authorised and regulated by the Financial Services Authority.

## CITROËN INSURANCE

### CITROËN INSURANCE INSTANT COVER

To help you drive away your new van without delay, we offer Instant Cover insurance, providing you with 7 days comprehensive van insurance, for free!

### CITROËN INSURANCE MOTOR INSURANCE

Citroën Insurance has been designed specifically for our vehicles. You don't just get repairs you get Citroën expertise, service, quality and parts. So, when the time comes to renew your insurance cover, call Citroën Insurance on 0870 024 2725.

Lines open 8am - 8pm weekdays, 9am - 5pm Saturdays. Max call charge from a BT landline is 8p per minute. Calls from other networks may vary. Alternatively, visit [www.citroen.co.uk](http://www.citroen.co.uk) for more information or to apply online.



This brochure is made from paper from a well-managed forest. Citroën support responsible use of forest resources.

Please don't throw me away, give me to a friend or recycle me.

NOTE: Every endeavour has been made to ensure that the information and details contained in this brochure were accurate at the time of going to press October 2010. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details or equipment. Every effort will be made to bring this brochure up to date, but in order to avoid any misunderstandings please consult your Dealer. Dimensions are given as a conversion guideline. Citroën UK does not accept any liability whatsoever and howsoever incurred in respect of the works carried out by independent conversion companies and customers must assure themselves of the suitability, quality and legal conformity of such conversion works. For full details of Citroën Care for Van and Driver, please see the full manufacturer's price list. The Citroën Website contains full information on all Citroën products and offers available in the UK, together with details of our environmental and recycling policies. The site address is: [www.citroen.co.uk](http://www.citroen.co.uk) or you can contact Citroën directly via [cuk\\_contactcentre@citroen.com](mailto:cuk_contactcentre@citroen.com)

**CITROËN prefers TOTAL**

CITROËN UK Ltd. 221 Bath Road, Slough SL1 4BA.  
[www.citroen.co.uk](http://www.citroen.co.uk)

CRÉATIVE TECHNOLOGIE

