Mazda Products and Services.

Warranty Plus – 3-Year Cover.

Every Mazda is designed and built to the highest standards of performance, comfort and reliability. For your further reassurance, Mazda also provides a full 3-year / 60,000-mile¹ warranty cover including Mazda European Assistance and a 12-year anti-perforation warranty. ¹ There is no mileage limit during the first year of the warranty.

Mazda Momentum - New Vehicle Extended Warranty.

At any time during the manufacturer's warranty period you may purchase a Mazda Momentum extended warranty package.

Three options are available. Your Mazda dealer will be pleased to provide you with details.

Accessories.

There is a full range of Mazda genuine accessories for each Mazda model. For more information, contact your Mazda dealer.

Mazda Credit.

Mazda Credit* provides a comprehensive range of finance plans which include: Mazda MultiOption - A flexible and cost-effective method of funding a Mazda. Mazda Hire Purchase - A simple, straightforward and traditional funding plan. Mazda Business Partner - A range of finance solutions for business customers.

Mazda Insurance.

Mazda Insurance offers a range of motor-related insurance products to protect you and your car. For total motoring peace of mind, please ask your Mazda dealer for details.

Tax-Free Personal Export, Diplomatic and Military Sales.

Significant savings are available for those who qualify, with schemes tailored to suit individual needs. For further information, contact your Mazda dealer or contact Mazda Tax Free Sales on 01932 335132.

Motability.

For all Motability enquiries, please contact Mazda on 08457 48 48 48.

Your Mazda dealer:

Mazda Digital Service Record.

Since 2005, Mazda has been introducing the Digital Service Record (DSR) with every new Mazda model. The Mazda Digital Service Record system provides increased security against counterfeit service documents and odometer tampering, and makes it easy to keep a Mazda's service history up to date. Stored on a central database, the DSR replaces the traditional paper service book and ensures a secure, accurate and permanent service history for the life of the vehicle. For further information, please ask your Mazda authorised repairer.


Mazda Motors UK Limited reserves the right to introduce changes in specification and equipment due to its ongoing product development. Colour and trim samples shown in this brochure may vary from the actual colours because of the limitations of the printing process. It is recommended that you consult your Mazda dealer when referring to these.

*Finance subject to status. Guarantees / Indemnities may be required. Written quotations: Mazda Credit UK, Central Office, Eagle Way, Brentwood, Essex CM13 3AR.

Authorised and regulated by the Financial Services Authority.

September 2005.

Internet: www.mazda.co.uk Mazda Helpline: 08457 48 48 48





²art No. MCAG1066B 09/05 (BJN 301718/UK/V1)



Mechanical Features and Model Availability.

Engines:

Petrol

- 1.8 MZR 1798cc in-line 4-cylinder, 16-valve, DOHC, 4-stroke petrol engine, developing 115ps (85kW) at 5300rpm and 165Nm at 4000rpm.
 - CO₂ emissions of 190g/km EC Stage IV (Combined).
 - Sequential electronic multi-point fuel injection.
 - Tumble Swirl Control Valve System.
- 2.0 MZR Petrol
- 1999cc in-line 4-cylinder, 16-valve, DOHC, 4-stroke petrol engine, developing 145ps (107kW) at 6000rpm and 185Nm at 4500rpm.
 - CO₂ emissions of 198g/km EC Stage IV (Combined).
 - Sequential electronic multi-point fuel injection.
 - Tumble Swirl Control Valve System.
 - Variable Induction System (VIS).
- 2.0 MZR-CD 1998cc in-line 4-cylinder, 16-valve, SOHC,
- Diesel (110ps) Direct-Injection Turbo Diesel engine developing 110ps (81kW) at 3500rpm and 310Nm at 2000rpm.
 - CO₂ emissions of 173g/km EC Stage IV (Combined).
 - Common-rail fuel injection.
 - 32-bit Powertrain Control Module (PCM).
 - Diesel Particulate Filter.

2.0 MZR-CD 1998cc in-line 4-cylinder, 16-valve, SOHC,

- Diesel (143ps) Direct-Injection Turbo Diesel engine developing 143ps (105kW) at 3500rpm and 360Nm at 2000rpm.
 - CO₂ emissions of 173g/km EC Stage IV (Combined).
 - Common-rail fuel injection.
 - 32-bit Powertrain Control Module (PCM).
 - Diesel Particulate Filter.

Transmissions:

- 5-speed manual in conjunction with petrol engines.
- 6-speed manual in conjunction with diesel engines.

Body:

- Self-supporting rigid and torsion-resistant all-steel body with defined crumple zones for the front and rear sections, stable passenger safety cell with side impact reinforcement in the doors.
- Further strengthened triple-H safety construction.
- Mazda Advanced Impact Distribution and Absorption System (MAIDAS) designed to secure the critical interior space in the event of an accident.
- Supplementary Restraint System (SRS) comprising central control unit and crush sensors, seatbelt pre-tensioners, load-limiters and seatbelt reminders (driver and passenger).
- Driver and passenger front airbags, front side airbags and curtain airbags for all seat rows (including third row).

Chassis and Suspension:

- Front: Independent suspension with MacPherson struts and coil springs.
- Rear: E-type multi-link suspension. Independent with angled dampers and low-mounted springs to maximise space for third row seats and / or load compartment.

Brake System:

- Hydraulic, diagonally divided dual-circuit system with power brake unit.
- Anti-lock Braking System (ABS) with Electronic Brake-force Distribution (EBD) and Emergency Brake Assist (EBA).
- Dynamic Stability Control (DSC) with Traction Control System (TCS)*.
- Front: 278mm with 15" brake and 300mm with 16" brake ventilated disc brakes.
- Rear: 280mm with 15" brake and 302mm with 16" brake disc brakes.

* Standard on Sport derivatives

Model Availability	1.8 MZR	2.0 MZR	2.0 MZR-CD Diesel (110ps)	2.0 MZR-CD Diesel (143ps)
TS	•	-	•	-
TS ²	•	-	•	-
Sport	-	•	-	•
Sport Nav	-	•	-	•

Standard. = Not available

Technical Data.

Engine Type	1.8 MZR	2.0 MZR	2.0 MZR-CD Diesel (110ps)	2.0 MZR-CD Diesel (143ps)
Displacement (cc)	1798	1999	1998	1998
Bore x stroke (mm)	83.0 x 83.1	87.5 x 83.1	86.0 x 86.0	86.0 x 86.0
Valves per cylinder	4	4	4	4
Maximum output [ps (kW) / rpm]	115 (85) / 5300	145 (107) / 6000	110 (81) / 3500	143 (105) / 3500
Maximum torque (Nm / rpm)	165 / 4000	185 / 4500	310 / 2000	360 / 2000
Compression ratio	10.8:1	10.8:1	16.7:1	16.7:1

Transmission

Туре		5-speed manual	5-speed manual	6-speed manual	6-speed manual
Gear ratios:	1st	3.666	3.307	3.538	3.538
	2nd	2.059	1.842	1.913	1.913
	3rd	1.392	1.310	1.218	1.218
	4th	1.030	1.030	0.880	0.880
	5th	0.795	0.795	0.809	0.809
	6th	-	-	0.673	0.673
	Reverse	3.454	3.454	3.831	3.831
Final gear ratio		4.388	4.588	3.611 (1st to 4th) 3.095 (5th, 6th)	3.611 (1st to 4th) 3.095 (5th, 6th)

Steering

-	
Steering gear	
Steering gear	
Minimum turning circle (kerb-to-kerb) (m)	5.3


Steering gear			Power-assisted	rack and pinion ——		
Minimum turning circle (kerb-to	o-kerb) (m)	5.3	5.3	5.3	5.3	
Performance and Economy						
Acceleration [0-62mph (0-100km/h) in sec]		11.4	10.8	12.9	10.4	
Top speed [mph (km/h)]		113 (182)	122 (196)	111 (179)	122 (197)	
Fuel consumption ¹⁾	Urban	26.4 (10.7)	25.7 (11.0)	38.7 (7.3)	38.7 (7.3)	
[mpg (L/100km)] :	Extra Urban	44.8 (6.3)	42.8 (6.6)	49.6 (5.7)	49.6 (5.7)	
	Combined	35.8 (7.9)	34.5 (8.2)	44.9 (6.3)	44.9 (6.3)	
CO ₂ emissions ¹⁾ (g/km)	Combined	190	198	173	173	
EC emission level		EC Stage IV	EC Stage IV	EC Stage IV	EC Stage IV	
Recommended fuel		Unleaded 95 RON	Unleaded 95 RON	Diesel	Diesel	
Fuel tank capacity (litres)		60	60	60	60	

¹⁾ Fuel consumption and CO₂ emissions values according to 1999/100/EC

Technical Data.

Dimensions and Weights		1.8 MZR	2.0 MZR	2.0 MZR-CD Diesel (110ps)	2.0 MZR-CD Diesel (143ps)
Overall length / width / he	ight ²⁾ (mm)	4505 / 1755 / 1665	4505 / 1755 / 1665	4505 / 1755 / 1665	4505 / 1755 / 1665
Ground clearance (mm) be	etween the axles – unladen	140	140	140	140
Front track / Rear track (m	m)	1530 / 1520	1530 / 1520	1530 / 1520	1530 / 1520
Wheelbase (mm)		2750	2750	2750	2750
Front row headroom / leg	room / shoulder room (mm)	1033 / 1035 / 1410	1033 / 1035 / 1410	1033 / 1035 / 1410	1033 / 1035 / 1410
Second row headroom / le	g room / shoulder room (mm)	1000 / 998 / 1411	1000 / 998 / 1411	1000 / 998 / 1411	1000 / 998 / 1411
Third row headroom / leg	room / shoulder room (mm)	942 / 780 / 1250	942 / 780 / 1250	942 / 780 / 1250	942 / 780 / 1250
Sliding rear door opening width (mm)		700	700	700	700
Cargo volume, acc. to	7-seat mode (all seats in use)	112	112	112	112
VDA:	Up to second row seat-back	426	426	426	426
	With second and third row seats folded	857	857	857	857
Ventilated front	15" brake	278	278	278	278
disc diameter (mm)	16" brake	300	300	300	300
Rear disc diameter (mm)	15" brake	280	280	280	280
	16" brake	302	302	302	302
Kerb weight (kg) min. / max.		1395 / 1512	1400 / 1527	1535 / 1645	1535 / 1653
Permitted gross vehicle weight (kg)		2090	2100	2225	2230
Permitted axle load, front / rear (kg)		975 / 1190	975 / 1200	1110 / 1190	1110 / 1195
Maximum roof load (kg)		75	75	75	75
Towing limit (kg):	Unbraked	600	600	600	600
	Braked (12% gradient)	1300	1400	1400	1400

²⁾ Overall height without roof rails is 1615 mm.



Equipment.

Safety and Security		TS	TS ²	Sport	Spor
Mazda Advanced Impact Distribu structure to help protect occupar	tion and Absorption System (MAIDAS) engineered 'triple H' body its from impact forces	•	•	•	•
Supplementary Restraint System (pre-tensioners, load-limiters	(SRS) – Central control unit and crush sensors, front seatbelt	•	•	•	•
Four-Wheel Anti-lock Braking Sys and Emergency Brake Assist (EBA	stem (ABS) with Electronic Brake-force Distribution (EBD)	•	•	•	•
Dynamic Stability Control (DSC) v	vith Traction Control System (TCS)	-	-	•	•
Front driver and passenger airbag	JS	•	•	•	•
Front side airbags		•	•	•	•
Front and rear curtain airbags (up	o to third row)	•	•	•	•
Seatbelts:	Front, 3-point (ELR) x 2 with pre-tensioners	•	•	•	•
	Rear, second row, 3-point x 3	•	•	•	•
	Rear, third row, 3-point x 2	•	•	•	•
	Seatbelt reminder (driver and front passenger seat)	•	•	•	•
ISOFIX child seat anchorages		•	•	•	•
Thatcham Category 1 Alarm and	immobiliser system	•	•	•	•
Exterior					
Tyres and wheels:	195/65 R15 with 6.0JJ steel wheels with wheelcovers	•	-	-	-
	205/55 R16 with 6.5JJ aluminium wheels	-	•	-	-
	205/50 R17 with 6.5JJ aluminium wheels	-	-	•	•
Temporary size spare wheel:	T115/70 D15 with 15" brake discs	•	-	-	-
	T125/70 D16 with 16" brake discs	-	•	•	•
Body-coloured bumpers, front an	id rear	•	•	•	•
Bodyside mouldings:	Black colour	•	-	-	-
	Body-coloured	-	•	•	•
Door handles:	Black colour	•	-	-	-
	Body-coloured	-	•	•	•
Body-coloured rear roof spoiler		-	-	•	•
Roof rails, black		-	•	•	•
Privacy glass for rear windows		-	-	•	•
Heated rear window		•	•	•	•
Wipers:	Front, intermittent wipe and electric wash	•	•	•	•
	Rear, intermittent	•	•	•	•
Headlights:	Halogen	•	•	•	•
Headlight levelling:	Manual	•	•	•	•
Front fog lights		-	-	•	•
Rear fog light		•	•	•	•
Rear brake light, high-mounted		•	•	•	•
Door mirrors:	Black housings, power-operated, driver's wide angle	•	-	-	-
	Body-coloured housings, power-operated and heated, driver's wide angle	_		•	•
Electric tilt-and-slide sunroof (opt		-	-	0	0

= Standard.
 O = Option, at extra cost.
 - = Not available.

Equipment.

owerwindows	Front with one tough out- up and down a literation		TS ²	Sport	Sport N
ower windows:	Front, with one-touch auto up and down on driver's and passenger's side	•	-	-	-
	Front and rear, with one-touch auto up and down on each window	-	•	•	•
emote central door locking:	With illuminated entry	•	•	•	•
	Global closing (central closing of all windows through key fob)	-	•	•	•
eadlocking		•	•	•	•
ear Parking Camera:	Rear-view monitor for reverse parking [tied to navigation system]	-	-	-	•
ower steering:	Electro Hydraulic Power Assisted Steering (EHPAS) (petrol engines)	•	•	•	•
	Engine, rev. sensing (diesel engines)	•	•	•	•
ir conditioning:	Manual	•	•	-	-
	Climate control	-	-	•	•
unvisors:	Driver's with covered vanity mirror and ticket holder	•	•	•	•
	Passenger's with covered vanity mirror	•	•	•	•
uel cap, remote opening		•	•	•	•
nterior Features					
eats and integral head restraint:	Driver's, dial reclining and height adjustment	•	•	•	•
	Driver's armrest	•	•	•	•
	Driver's, lumbar adjustment	-	•	•	•
	Picnic table (back of front seats)	-	•	•	•
ear seats:	Second row sliding seats	•	•	•	•
	Three second row head restraints, height adjustable	•	•	•	•
	Two third row head restraints, height adjustable	•	•	•	•
	Second row seat recliner adjustment and double fold-mechanism	•	•	•	•
	Second row Karakuri seat which converts the two individual second row seats into a 3-person bench seat	•	•	•	•
	Third row 50/50 split fold	•	•	•	•
teering wheel:	Leather-wrapped	-	•	•	•
	Tilt and height adjustment	•	•	•	•
hift knob:	Leather-wrapped	-	•	•	•
oor inner handles and trim insert:	Front, silver	-	-	•	•
rab handle, front passenger's and tw	vo rear with coat hooks	•	•	•	•
udio and Navigation System:	AM/FM radio / CD, four speakers	•	•	-	-
	AM/FM radio / 6-CD autochanger, six speakers	-	-	•	•
	DVD navigation system, 7" colour pop up screen, two display functions, with voice control and voice guidance (and rear-view parking camera)	_	-	-	•
teering wheel-mounted remote audi	o controls	-	•	•	•
leter set:	Tachometer	•	•	•	•
	Fuel gauge	•	•	•	•
	Water temperature gauge	•	•	•	•
	Trip computer	-	-	•	•
	Exterior temperature thermometer, digital	•	•	•	•
igital clock		•	•	•	•
igar lighter		•	•	•	•
verhead console with sunglasses ho	lder (not available with optional sunroof)	-	•	•	•
urther storage spaces:	11-litre glovebox	•	•	•	•
	Seat-back pocket	•	•	•	•
		•	•	•	•
	Underboot floor storage box				
iterior light, dome with integral spot	-	•	•	•	•
iterior light, dome with integral spot uggage area cover	-	•	•	•	•

= Standard.
- = Not available.

Colours and Seat Trims.

Trim

Solid Body Colours

Brilliant Black (A3F)

Mica and Metallic Body Colours*

Carbon Grey Mica (28B) Cardinal Red Mica (30P) Phantom Blue Mica (32C) Sunlight Silver Metallic (22V)

* Option, at extra cost.





Black (CC1)



Brilliant Black (A3F)





Cardinal Red Mica (30P)

Phantom Blue Mica (32C)

TS	TS ²	Sport	Sport Nav
Khaki (CC0)	Black (CC1)	Black (CC1)	Black (CC1)
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•





Sunlight Silver Metallic (22V)